
SmartScan Colour

Wireless, manual colour control, switching, and dimming of SmartScan ColourActive luminaires



The SmartScan Colour control plate is an impact-resistant, wall-mountable manual control for SmartScan ColourActive luminaires. It features twelve buttons providing: on (eco), off, five fixed colour temperature levels, and five fixed dimming levels.


Thorlux ColourActive human-centric lighting technology generates specially designed artificial light that mimics the natural daylight cycle, enhancing well-being, mood, and health. Adjusting the colour temperature of artificial lighting in real-time to replicate daylight may help regulate circadian rhythms, improve lighting quality, and potentially support overall health and wellness.

- 12 buttons providing On (Eco), Off, 5 fixed colour temperature levels and 5 fixed dimming levels
- Mains (230 V) or battery powered versions available
- Communicates wirelessly with SmartScan luminaires
- Mains versions have additional wireless connectivity allowing control from the SmartScan App (iOS and Android)
- Requires a 35 mm deep single-gang back box (mains version only)
- Battery version is supplied complete with batteries and self-adhesive tape and can be mounted directly to the wall
- Multiple touch plates can be used to provide multi-point control
- Programmable using the SmartScan programmer

Compliance

UKCA	**Yes**	CE	**Yes**
C-Tick (Aus)	**Yes**		


Dimensions



Range

Description	Product version	CAT. No.
SmartScan Colour	Battery powered	**SS20446**
	Mains powered	**SS20447**







Click or scan here

View SmartScan Colour variants using our online filtering tool



Information is correct as of 16 Nov 2026, however must not be interpreted as a guarantee of individual product performance and/or characteristics. We reserve the right to alter specifications and designs without prior notice.